

Devices Supporting VF Level (cont.)				For more information visit http://via.vodafone.com
Panasonic devices				
Platform 1				
a. 128*128	300		3400	
Platform 2				
a. 178*208	2701			
Platform 3				
a. 320*240	253			
Alcatel devices				
Platform 1				
a. 128*160	3266			
Sendo devices				
Platform 1				
a. 128*160	3083			
Foshiba devices				
Platform 1				
a. 240*320	15921			
Platform 2				
a. 240*320	15883			
Nokia				
For more information visit www.forum.nokia.com				
Series 40				
Series 40 1st edition				
a. 128*128 Pixels	7210	3500, 3100, 3100, 3108, 3120, 3125, 3200, 3300, 5100, 6100, 6108, 6200, 6220, 6500, 6610, 6610, 6800, 6800, 7200, 7250, 7250		CLDC 1.0, MIDP 1.0, Nokia UI API
b. 128*128 Pixels, CDMA Smart	6225	3200, 3355		CLDC 1.0, MIDP 1.0, Nokia UI API
c. 128*160 Pixels	6650	7600, 6651		CLDC 1.0, MIDP 1.0, Nokia UI API
d. 128*128 Pixels (3 soft keys)	6620	8810		CLDC 1.0, MIDP 1.0, Nokia UI API, Wireless Messaging API (JSR-120)
e. 96*65 Pixels	3910i	3530, 3585, 3586, 3586, 3587, 3587, 3588, 3588, 3595, 6010, 6012, 6015, 6016, 6016		CLDC 1.0, MIDP 1.0, Nokia UI API
Series 40 2nd edition				
a. 128*128 Pixels	6230			CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), JTWS (JSR-185), Bluetooth API (JSR-82 No OBEX), MIDP 2.0, Nokia UI API
b. 128*128 Pixels	6140(+)	6810(+)		CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), JTWS (JSR-185), MIDP 2.0, Nokia UI API
c. 128*128 Pixels	3230	7260(+), 6020(+), 6021(+), 6030(+)		CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), MIDP 2.0, Nokia UI API
d. 128*128 Pixels	6140(+)	6820(+)		CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), JTWS (JSR-185), FileConnection and PIM API (JSR-75), MIDP 2.0, Nokia UI API
e. 128*160 Pixels	6170(+)	6270(+)		CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), JTWS (JSR-185), MIDP 2.0, Nokia UI API
f. 128*160 Pixels	6181(+)	6180(+), 6105(+), 6260(+), 6120(+), 6128(+), 6070(+), 6080(+), 7360(+), 5070(+), 6061(+)		CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), JTWS (JSR-185), FileConnection and PIM API (JSR-75), MIDP 2.0, Nokia UI API
g. 128*128 Pixels	6822(+)			CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), FileConnection and PIM API (JSR-75), MIDP 2.0, Nokia UI API
h. 128*128 Pixels	6235(+)	6235(+)		CLDC 1.1, Wireless Messaging API (JSR-120), Mobile 3D Graphics API (JSR-184), JTWS (JSR-185), FileConnection and PIM API (JSR-75), MIDP 2.0, Nokia UI API
i. 208*208 Pixels	6230(+)	6800(+), 6801(+)		CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Mobile 3D Graphics API (JSR-184), JTWS (JSR-185), FileConnection and PIM API (JSR-75), Bluetooth API (JSR-82 No OBEX), MIDP 2.0, Nokia UI API
Series 40 3rd edition				
a. 128*160 Pixels	6111(+)	6122(+), 6105(+), 6159(+), 6295(+), 6255(+), 6136(+)		CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Mobile 3D Graphics API (JSR-184), JTWS (JSR-185), FileConnection and PIM API (JSR-75), Bluetooth API (JSR-82), MIDP 2.0, Nokia UI API
b. 128*160 Pixels	6161 (+)			MIDP 2.0, CLDC 1.1, Bluetooth API (JSR-82), FileConnection and PIM API (JSR-75), JTWS (JSR-185), Mobile 3D Graphics API (JSR-184), Mobile Media API (JSR-135), Nokia UI API, Scalable 2D Vector Graphics API (JSR-220), Web Services API (JSR-172), Wireless Messaging API (JSR-120), Wireless Messaging API (JSR-205)
c. 128*160 Pixels	6200(+)	6085(+), 6086(+), 3110 class(+), 3109 class(+), 3000 class(+)		MIDP 2.0, CLDC 1.1, Bluetooth API (JSR-82), FileConnection and PIM API (JSR-75), JTWS (JSR-185), Mobile 3D Graphics API (JSR-184), Mobile Media API (JSR-135), Nokia UI API, Scalable 2D Vector Graphics API (JSR-220), Security and Trust Services API (JSR-177), Web Services API (JSR-172), Wireless Messaging API (JSR-120), Wireless Messaging API (JSR-205)
d. 240*320 Pixels	6270(+)	6265(+), 6265(+), 6275(+)		CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Mobile 3D Graphics API (JSR-184), JTWS (JSR-185), FileConnection and PIM API (JSR-75), Bluetooth API (JSR-82), MIDP 2.0, Nokia UI API
e. 240*320 Pixels	6280 (+)	6282(+), 6289(+)		CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Mobile 3D Graphics API (JSR-184), JTWS (JSR-185), Scalable 2D Vector Graphics API (JSR-220), FileConnection and PIM API (JSR-75), Bluetooth API (JSR-82), MIDP 2.0, Nokia UI API
f. 240*320 Pixels	6270(+)			CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Mobile 3D Graphics API (JSR-184), JTWS (JSR-185), Scalable 2D Vector Graphics API (JSR-220), FileConnection and PIM API (JSR-75), Bluetooth API (JSR-82), MIDP 2.0, Nokia UI API
g. 240*320 Pixels	6131(+)	6126(+), 6133(+), 6131 NP(+), 6233(+), 6234(+), 6300(+), 6600 Luma(+)		FileConnection and PIM API (JSR-75), CLDC 1.1, Nokia UI API, Wireless Messaging API (JSR-205), Mobile 3D Graphics API (JSR-184), Bluetooth API (JSR-82), MIDP 2.0, JTWS (JSR-185), Mobile Media API (JSR-135), Scalable 2D Vector Graphics API (JSR-220), Wireless Messaging API (JSR-120), Web Services API (JSR-172)
h. 240*320 Pixels	6300(+)	7360(+), 7372(+)		MIDP 2.0, CLDC 1.1, Bluetooth API (JSR-82), FileConnection and PIM API (JSR-75), JTWS (JSR-185), Mobile 3D Graphics API (JSR-184), Scalable 2D Vector Graphics API (JSR-220), Security and Trust Services API (JSR-177), Web Services API (JSR-172), Wireless Messaging API (JSR-120), Wireless Messaging API (JSR-205)
Series 40 5th edition				
a. 128*160 Pixels	6680 class(+)	6070 P1sm(+)		CLDC 1.1, MIDP 2.1, JSR 75 FileConnection and PIM API, JSR 135 Mobile Media API, JSR 177 Security and Trust Services API, JSR 185 JTWS, JSR 205 Wireless Messaging API, Nokia UI API
b. 128*160 Pixels	2760(+)	2630(+), 2660(+), 2660 class(+), 2680 class(+), 2330 class(+), 2323 class(+), 6720(+)		CLDC 1.1, MIDP 2.1, JSR 75 FileConnection and PIM API, JSR 82 Bluetooth API, JSR 135 Mobile Media API, JSR 177 Security and Trust Services API, JSR 185 JTWS, JSR 205 Wireless Messaging API, Nokia UI API
c. 240*320 Pixels	6000(+)	7100 Superov(+)		CLDC 1.1, MIDP 2.1, JSR 75 FileConnection and PIM API, JSR 82 Bluetooth API, JSR 135 Mobile Media API, JSR 177 Security and Trust Services API, JSR 185 JTWS, JSR 205 Wireless Messaging API, Nokia UI API
d. 240*320 Pixels	6267(+)	7500 P1sm(+), 6555(+), 6263(+), 3610 660(+)		CLDC 1.1, MIDP 2.1, JSR 75 FileConnection and PIM API, JSR 82 Bluetooth API, JSR 120 Wireless Messaging API, JSR 135 Mobile Media API, JSR 172 Web Services API, JSR 177 Security and Trust Services API, JSR 184 Mobile 3D Graphics API, JSR 185 JTWS, JSR 205 Wireless Messaging API, JSR 220 Scalable 2D Vector Graphics API, JSR 234 Advanced Multimedia Supplement, JSR 248 Mobile Service Architecture for CLDC, Nokia UI API
e. 128*160 Pixels	3556(+)			CLDC 1.1, MIDP 2.1, JSR 75 FileConnection and PIM API, JSR 82 Bluetooth API, JSR 120 Wireless Messaging API, JSR 135 Mobile Media API, JSR 172 Web Services API, JSR 177 Security and Trust Services API, JSR 205 Wireless Messaging API, JSR 211 Content Handler API, JSR 220 Scalable 2D Vector Graphics API, JSR 234 Advanced Multimedia Supplement, JSR 248 Mobile Service Architecture for CLDC, Nokia UI API

Nokia (contd)			
2407320 Pixels	5000 slide(+)	5000 class(+), 7500 Prism(+), 5610 XpressMusic(+), 5110 XpressMusic(+), 5201(+), 8000 Anna(+), 5120 classic(+), 5300(+), 6212 classic(+), 5220 XpressMusic(+), 2000 slide(+), 6000 60(+), 8000 slide(+), 7210 Superno(+), 7310 Superno(+), 7010 Superno(+), 5220 XpressMusic(+), 5130 XpressMusic(+), 2700 music(+), 6208 classic(+), 2730(+)	CLDC 1.1, MIDP 2.1, JSR 75 FiConnection and PIM API, JSR 82 Bluetooth API, JSR 120 Wireless Messaging API, JSR 135 Mobile Media API, JSR 172 Web Services API, JSR 177 Security and Trust Services API, JSR 184 Mobile 3D Graphics API, JSR 185 JTWI, JSR 205 Wireless Messaging API, JSR 211 Content Handler API, JSR 226 Scalable 2D Vector Graphics API, JSR 234 Advanced Multimedia Supplements, JSR 248 Mobile Service Architecture for CLDC, Nokia UI API
Series 40 6th edition			
2.2407320 Pixels	7010 Superno(+)	3710(+), 6300 class(+), 6700 classic(+), 6300 XpressMusic(+), 7000(+)	CLDC 1.1, MIDP 2.1, JSR 135 Mobile Media API 1.1, JSR 172 Web Services Specification JSR 177 Security and Trust Services API (CRYPTO and PKI packages), JSR 177 Security and Trust Services API (SATA-CRYPTO package), JSR 178 Location API for 3.0, JSR 184 Mobile 3D Graphics API 1.1, JSR 205 Wireless Messaging API 2.0, JSR 211 Content Handler API, JSR 226 Scalable 2D Vector Graphics API, JSR 234 Advanced Multimedia Supplements, JSR 234 Advanced Multimedia Supplements 1.1 (audio), JSR 234 Advanced Multimedia Supplements 1.0 (music), JSR 248 Mobile Service Architecture for CLDC, JSR 75 FiConnection and PIM API, JSR 82 Bluetooth API 1.1, Nokia UI API 1.1
660			
660 1st edition			
1.170*208 Pixels	3660	3600, 3620, 3660, 7650 N-Gage™, N-Gage QD™	CLDC 1.0, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), MIDP 1.0, Nokia UI API
660 2nd edition			
1.170*208 Pixels	6600	6620(+)	CLDC 1.0, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Bluetooth API (JSR-82) No OBEK, MIDP 2.0, Nokia UI API
1.170*208 Pixels	7610(+)	6590(+), 6670(+)	CLDC 1.0, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Bluetooth API (JSR-82) No OBEK, MIDP 2.0, Nokia UI API
1.170*208 Pixels	3230(+)		CLDC 1.0, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Bluetooth API (JSR-82) No OBEK, MIDP 2.0, Nokia UI API
1.170*208 Pixels	6630(+)		CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Mobile 3D Graphics API (JSR-184), FiConnection and PIM API (JSR-75), Bluetooth API (JSR-82) No OBEK, MIDP 2.0, Nokia UI API
1.170*208 Pixels	6680(+)	6681(+), 6682(+)	CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Mobile 3D Graphics API (JSR-184), JTWI (JSR-185), FiConnection and PIM API (JSR-75), Bluetooth API (JSR-82) No OBEK, MIDP 2.0, Nokia UI API
1.170*208 Pixels	N70(+)	N72(+)	CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Web Services API (JSR-172), Mobile 3D Graphics API (JSR-184), JTWI (JSR-185), FiConnection and PIM API (JSR-75), Bluetooth API (JSR-82), MIDP 2.0, Nokia UI API
3.352*416 pixels	N90(+)		CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Web Services API (JSR-172), Mobile 3D Graphics API (JSR-184), JTWI (JSR-185), FiConnection and PIM API (JSR-75), Bluetooth API (JSR-82), MIDP 2.0, Nokia UI API
660 3rd Edition			
1.170*208 pixels	3250(+)	601(+)	CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Web Services API (JSR-172), Security and Trust Services API (JSR-177), Location API (JSR-179), SIP API (JSR-180), Mobile 3D Graphics API (JSR-184), JTWI (JSR-185), Wireless Messaging API (JSR-205), FiConnection and PIM API (JSR-75), Bluetooth API (JSR-82), MIDP 2.0, Nokia UI API
2.2407320 Pixels	N93(+)	693(+)	CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Web Services API (JSR-172), Security and Trust Services API (JSR-177), Location API (JSR-179), SIP API (JSR-180), Mobile 3D Graphics API (JSR-184), JTWI (JSR-185), Wireless Messaging API (JSR-205), FiConnection and PIM API (JSR-75), Bluetooth API (JSR-82), MIDP 2.0, Nokia UI API
2.2407320 Pixels	N71(+)	N73(+), N75(+), N92(+), 650(+), N77(+), 656(+)	CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Web Services API (JSR-172), Security and Trust Services API (JSR-177), Location API (JSR-179), SIP API (JSR-180), Mobile 3D Graphics API (JSR-184), JTWI (JSR-185), Wireless Messaging API (JSR-205), FiConnection and PIM API (JSR-75), Bluetooth API (JSR-82), MIDP 2.0, Nokia UI API
1.320*240 Pixels	581(+)	582(+), 581(+)	CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Web Services API (JSR-172), Security and Trust Services API (JSR-177), Location API (JSR-179), SIP API (JSR-180), Mobile 3D Graphics API (JSR-184), JTWI (JSR-185), Wireless Messaging API (JSR-205), FiConnection and PIM API (JSR-75), Bluetooth API (JSR-82), MIDP 2.0, Nokia UI API
1.208*208	6600(+)		CLDC 1.1, Mobile Media API (JSR-135), Wireless Messaging API (JSR-120), Web Services API (JSR-172), Security and Trust Services API (JSR-177), Location API (JSR-179), SIP API (JSR-180), Mobile 3D Graphics API (JSR-184), JTWI (JSR-185), Wireless Messaging API (JSR-205), FiConnection and PIM API (JSR-75), Bluetooth API (JSR-82), MIDP 2.0, Nokia UI API
3.352*416 pixels	670(+)	660(+), N80(+)	CLDC 1.1, Mobile Media API (JSR-135), Web Services API (JSR-172), Security and Trust Services API (JSR-177), Location API (JSR-179), SIP API (JSR-180), Mobile 3D Graphics API (JSR-184), JTWI (JSR-185), Wireless Messaging API (JSR-205), FiConnection and PIM API (JSR-75), Bluetooth API (JSR-82), MIDP 2.0, Nokia UI API
660 3rd Edition Feature Pack 1			
2.2407320 Pixels	N96(+)	6200(+), N76(+), 6110 Navigator(+), 5700 XpressMusic(+), 6100 Creative(+), 6120 classic(+), N65-3(+), N65 6GB(+), N61(+), N61 6GB(+), 651(+), N62(+), 6124 music(+), 656(+)	CLDC 1.1, Mobile Media API (JSR-135), Web Services API (JSR-172), Security and Trust Services API (JSR-177), Location API (JSR-179), SIP API (JSR-180), Mobile 3D Graphics API (JSR-184), JTWI (JSR-185), Wireless Messaging API (JSR-205), Scalable 2D Vector Graphics API (JSR-206), Advanced, Multimedia Supplements (JSR 234), FiConnection and PIM API (JSR 75), Bluetooth API (JSR 82), MIDP 2.0, Nokia UI API
1.320*240 Pixels	671(+)	663(+)	CLDC 1.1, Mobile Media API (JSR-135), Web Services API (JSR-172), Security and Trust Services API (JSR-177), Location API (JSR-179), SIP API (JSR-180), Mobile 3D Graphics API (JSR-184), JTWI (JSR-185), Wireless Messaging API (JSR-205), Scalable 2D Vector Graphics API (JSR-206), Advanced, Multimedia Supplements (JSR 234), FiConnection and PIM API (JSR 75), Bluetooth API (JSR 82), MIDP 2.0, Nokia UI API
1.800*352	690 Communicator(+)		CLDC 1.1, Mobile Media API (JSR-135), Web Services API (JSR-172), Security and Trust Services API (JSR-177), Location API (JSR-179), SIP API (JSR-180), Mobile 3D Graphics API (JSR-184), JTWI (JSR-185), Wireless Messaging API (JSR-205), Scalable 2D Vector Graphics API (JSR-206), Advanced, Multimedia Supplements (JSR 234), FiConnection and PIM API (JSR 75), Bluetooth API (JSR 82), MIDP 2.0, Nokia UI API
660 3rd Edition Feature Pack 2			
2.2407320 Pixels	N78(+)	N96(+), 6220 class(+), 6210 Navigator(+), 5700 XpressMusic(+), N76(+), N65-1, N66 6GB(+), 5730 XpressMusic(+), 6720 classic(+), 6710 Navigator(+), 6730(+), 655(+), 6030 XpressMusic(+), 6750(+)	CLDC 1.1, Mobile Media API (JSR-135), Web Services API (JSR-172), Security and Trust Services API (JSR-177), Location API (JSR-179), SIP API (JSR-180), Mobile 3D Graphics API (JSR-184), JTWI (JSR-185), Wireless Messaging API (JSR-205), Scalable 2D Vector Graphics API (JSR-206), Advanced, Multimedia Supplements (JSR 234), FiConnection and PIM API (JSR 75), Bluetooth API (JSR 82), MIDP 2.0, Nokia UI API
660 9th Edition			
1.360*640 Pixels	6600 XpressMusic(+)		JSR 135 Connected Limited Device Configuration (CLDC) 1.1, JSR 118 MIDP 2.1, JSR 248 Mobile Service Architecture Subset for CLDC, JSR 75 FiConnection and PIM API, JSR 82 Java™ APIs for Bluetooth 1.1, JSR 135 Mobile Media API 1.1, JSR 172 J2ME™ Web Services Specification, JSR 172 J2ME™ Web Services Specification (RPC packages), JSR 172 J2ME™ Web Services Specification (XML Parser package), JSR 177 Security and Trust Services API for J2ME™ (JSR-177 Security and Trust Services API for J2ME™ (SATA-CRYPTO package), JSR 177 Security and Trust Services API for J2ME™ (SATA-PKI package), JSR 178 Location API for J2ME™ 1.0, JSR 184 Mobile 3D Graphics API for J2ME™ 1.1, JSR 205 Wireless Messaging API 2.0, JSR 226 Scalable 2D Vector Graphics API for J2ME™ 1.1, JSR 234 Advanced Multimedia Supplements 1.1, JSR 234 Advanced Multimedia Supplements 1.0 (audio), JSR 234 Advanced Multimedia Supplements 1.0 (music), JSR 248 Mobile Sensor API, AP info API, eSWT UI API 1.0.3, Nokia UI API 1.2
1.360*640 Pixels	N97(+)		JSR 135 Connected Limited Device Configuration (CLDC) 1.1, JSR 118 MIDP 2.1, JSR 248 Mobile Service Architecture Subset for CLDC, JSR 75 FiConnection and PIM API, JSR 82 Java™ APIs for Bluetooth 1.1, JSR 135 Mobile Media API 1.1, JSR 172 J2ME™ Web Services Specification, JSR 172 J2ME™ Web Services Specification (RPC packages), JSR 172 J2ME™ Web Services Specification (XML Parser package), JSR 177 Security and Trust Services API for J2ME™ (JSR-177 Security and Trust Services API for J2ME™ (SATA-CRYPTO package), JSR 177 Security and Trust Services API for J2ME™ (SATA-PKI package), JSR 178 Location API for J2ME™ 1.0, JSR 184 Mobile 3D Graphics API for J2ME™ 1.1, JSR 205 Wireless Messaging API 2.0, JSR 226 Scalable 2D Vector Graphics API for J2ME™ 1.1, JSR 234 Advanced Multimedia Supplements 1.1, JSR 234 Advanced Multimedia Supplements 1.0 (audio), JSR 234 Advanced Multimedia Supplements 1.0 (music), JSR 248 Mobile Sensor API, AP info API, eSWT UI API 1.0.3, Nokia UI API 1.2

